

Lumen[®] Security Solutions portal (powered by Lumen)

**Reporting user guide for Adaptive Network Security,
Managed Premises Fortinet Firewalls, MSS Cloud,
Secure Access**

February 2022

LUMEN[®]

Table of contents

Lumen Security Solutions Reporting	3
Support contacts	3
Accessing the Lumen customer portal	3
Viewing and downloading firewall policies	3
Adaptive Network Security and Managed Premises firewall policies	4
Lumen Security Solutions Reporting portal	5
Common filters and customization	5
Rapid Threat Defense (Security Posture)	6
Adding global block or allow rules	6
Dashboards	7
Dashboard displays	8
Firewall Overview Dashboard	9
Firewall Application Control dashboard	12
Firewall DLP dashboard	13
Firewall IDS/IPS dashboard	17
Firewall Mobility dashboard	19
Firewall Site dashboard	22
Firewall Traffic dashboard	24
Firewall Webfilter dashboard	26
Firewall Virus and malware (sandboxing) dashboard	28
Events	32
Reporting	32
Mobility and Site Report Data field definitions	34
Application Control Report Data field definitions	35
DLP Report Data field definitions	36
IDS/IPS Report Data field definitions	37
Traffic Report Data field definitions	38
Virus Report Data field definitions	39
Webfilter Report Data field definitions	40
Appendix A: Event Severity definitions	41

Lumen Security Solutions Reporting

The Lumen Security Solutions Reporting (powered by Lumen) portal provides near real-time dashboard, reports of log events, analysis, threat-visualization, and rapid threat defense (Adaptive Network Security only) for the following Lumen managed firewall security services:

- Adaptive Network Security
- Managed Premises Firewalls (Fortinet)
- MSS Cloud
- Secure Access

Detailed firewall policies files are available on the Security Solutions Analytics landing page.

Note: To access the Security Solutions Reporting (powered by Lumen) portal and firewall policies you must have two-factor authentication to access through [Control Center](#).

Support contacts


Please see <https://www.lumen.com/help/en-us/security-solutions.html> for more information.

Accessing the Lumen customer portal

Learn how to [sign in to Control Center](#)—the Lumen customer portal.

Viewing and downloading firewall policies

1. Sign in to Control Center.
2. Click **Monitoring**, then click **Security Solutions Analytics**.
3. To view and download Adaptive Network Security firewall policies files, scroll down to **Firewall Policies and Configurations > Firewall Policies**.



Adaptive Network Security and Managed Premises firewall policies

1. The Adaptive Network Security and Managed Premises firewall policies are formatted in a .txt file in JSON format.

Security Solutions Analytics

Firewall Policies & Configurations

Customer Number: Demo | Billing Account Number: Demo

Download Configuration Files

Last 30 Days | 72 Files

File Name	Firewall Type	File Type	Device Type	Service Inventory/Service Location
esg01-fw05_ams1_BBBB100_20200100.txt	esg01-fw05_ams1_BBBB100	Full Configuration	ANS_FORTINET_FIRE...	4 STEKKENBERGWEG AMSTERDAM NH 1105 AJ NETHERLANDS
esg01-fw05_stk2_BBBB101_20200100.txt	esg01-fw05_stk2_BBBB101	Full Configuration	ANS_FORTINET_FIRE...	6 MEJERVÄGEN STOCKHOLM AB 117 43 SWEDEN
esg01-fw05_ams1_BBBB100_20200102.txt	esg01-fw05_ams1_BBBB102	Full Configuration	ANS_FORTINET_FIRE...	4 STEKKENBERGWEG AMSTERDAM NH 1105 AJ NETHERLANDS

2. Download, right-click, and select **Open with > WordPad** to better read the file.
3. If you have additional questions regarding Adaptive Network Security firewall policies, please submit a **Security Ticket** (Under **Other Tools**) to review with SOC personnel.

Other Tools

[Security Trouble Tickets](#)
Report attack or outage or suspicious activity, request backup or a report

[New Security Ticket](#)

Lumen Security Solutions Reporting portal


The Lumen Security Solutions portal for Managed Firewall set of services includes:

- Adaptive Network Security
- Managed Premises Firewall (Fortinet)
- MSS Cloud
- Secure Access

The Lumen Security Solutions portal has a common layout and user interface for log events and capabilities represented in the Dashboard, Events, Security Posture (to set a security threat score with Rapid Threat Defense) on the left menu item tabs:

- **Dashboard**—Displays summary view of the set of critical indicators for service features. User can download reports based on dashboard.
- **Events** —Query capability to search logs based on a user defined set of filters
- **Incidents (future)**—Displays set of interactions with malicious IP sites and domains based on near real-time threat intelligence indicators from Black Lotus Labs. View enabled with Basic and Premium service levels.
- **Reporting** – Enables user to create a report from a dashboard.
- **Security Posture** – Enables admin user to identify a security posture to set up automated deployment of countermeasures whenever new malicious entities are discovered by [Black Lotus Labs™](#) – the Lumen cyber threat intelligence team.

You will see a blank display and need to select a menu item on the left side.



Common filters and customization

Common controls across the Firewall dashboards are:

- **Date Range**—interval for viewing search results. Click the “Apply” button after selection.
- **Query**—field to enable user to filter the data shown in the dashboard based a query they enter.
- **Device**—the firewall physical device host name that inspects traffic and enforces security compliance policies.
- **Firewall Instance**—customer virtual network firewall instance with customer configured policies on a device.
- **Firewall Type**—type of firewall, network firewall or premises firewall.
- **Company**—name of the customer
 - **Wildcard**—most filter controls are preset with the * wild card character that match any value, or you can select a value.


See Appendix A that describes the estimated event severity that caused a log event.

Rapid Threat Defense (Security Posture)

Rapid Threat Defense allows customers to automatically detect and respond to threats for Adaptive Network Security Premium service only.


Customers specify a security posture which has an associated risk score. When malicious entities are discovered that have a risk score that meets or exceeds the risk score indicated in the security posture, countermeasures will be automatically deployed to block access to that malicious entity.

To set security posture with Rapid Threat Defense, **Security Posture** menu item (left side).



Note: Users must have an admin role on the Lumen Security Solutions portal to set security posture or set Allow/Block IP v4 Address. If you need admin role privilege, please submit a [security repair ticket](#) to elevate your privileges to admin role.

The selected security posture risk score selections are:



Selecting a security posture sets up automated deployment of countermeasures whenever new malicious entities are discovered [by Black Lotus Labs™](#) – the Lumen cyber threat intelligence team. The Black Lotus Labs team has automated the discovery, classification and validation of new malicious entities to deploy countermeasures typically in under 30 minutes from discovery of the new malicious entity.

Adding global block or allow rules

In addition to selecting a security posture, customers can also select specific IPv4 address ranges to block or allow that are independent of security posture.

Block or allow list rules on specific IPv4 address ranges remain active, even if the security posture is set to “No Blocking”. These lists always take precedence to override or augment any countermeasures deployed by the security posture selection or any other Adaptive Network Security firewall policy if an IPv4 address match occurs.

- **Allow IPv4 CIDR Address Range:** Always allow access to this IPv4 CIDR address range, even if it is identified as malicious and has a risk score that meets or exceeds the risk score associated with the selected security posture.
- **Block IPv4 CIDR Address Range:** Always block access to the IPv4 CIDR address range in this entity, unless defined in the Allow list.

All IPv4 address countermeasures specified on this page are deployed globally. They apply to all Adaptive Network Security Firewall Instances, all users, all ports, all protocols and all services.

If a more specific policy is required, please submit a SOC security ticket (**Support > Security Repair Tickets**) where you can specify the following parameters per Adaptive Network Security Firewall Instance:

- Source Interface (IPVPN is the default)
- Source address (All is the default)
- Schedule (e.g., limits hours, Always is the default)
- Service (e.g., protocol, UDP, FTP, All is the default)
- UTM Profile Sensors (e.g., WCF, IPS/IDS, Various is the default)

Dashboards

The Firewall dashboards are a summary view of critical indicators with Adaptive Network Security, Managed Premises Firewall (Fortinet), MSS Cloud, Secure Access services.

Users can filter on Firewall Type and Firewall Device to determine the product offer:

- Adaptive Network Security → “esg” devices & “network firewall” type.
- MSS Cloud, Secure Access → “nsd” and “esg” devices & “network firewall” type.
- Managed Premises Firewall (Fortinet) → to “GM” devices & “premises firewall” type.


Default set of Adaptive Network Security service dashboards are:

- **Firewall Overview Dashboard**—displays the summary of important metrics from all features in distinct panels.
- **Firewall Application Control Dashboard**—displays actions (pass or block) based on application usage. These settings are defined for a specific user, group, or IP address based on settings identified during service setup. Application Control identifies and enforces application use on the network.


- **Firewall DLP (data loss protection) Dashboard**—displays potential data loss attempts to send sensitive data including credit card and SSN information. DLP monitors, prevents, and reports on attempts to send sensitive data, including credit card and SSN information.
- **Firewall IPS/IDS Dashboard** (Intrusion Prevention and Detection Services)—displays intrusion prevention (dropped) and intrusion detection (detected) events over time with view of top source IPs and common alerts. IPS/IDS provides management and monitoring, detection and prevention capabilities at your network edge. Traffic matching signatures of known attacks generate incident reports and may also be blocked on a per-signature basis.
- **Firewall Mobility Dashboard**—displays information of successful and unsuccessful mobility endpoint client authentication status and top client duration in hours. Mobility access is to a private network and/or the public Internet via Lumen internet access or third-party internet access.
- **Firewall Site Dashboard**—displays traffic and events from remote site access IPSec tunnels to a private network and/or the public Internet via Lumen internet access or third-party internet access.
- **Firewall Traffic Dashboard**—displays summary of traffic allowed and denied by firewall policy. Reports show how traffic was managed in response to such policies.
- **Firewall Virus and Malware (Sandboxing) Dashboard**—displays potential infections based on signatures and actions taken, analytics (sent to the sandbox for analysis), monitored, passthrough, blocked. Summaries of top IP address, agents, URLs, files, targeted hosts, and malware are displayed.
- **Firewall Webfilter Dashboard**—displays the status of how internet content resources are used based on a category, domain, or IP address. These settings are defined for a specific user or IP address based on settings identified during service setup. Web filtering classifies and blocks URLs and emails to help protect computers from infection. It controls the use of internet resources based on URL, content, and IP addresses, blocking and inspecting downloaded content for malicious code before it reaches a user's device.

Dashboard displays

1. For initial set up, select **Create New Dashboard**.



A list of Firewall Dashboard Templates appears.



2. Create the appropriate dashboards based on the features you have enabled on the Firewall service. The minimum common firewall dashboards to create are:
 - Firewall Overview dashboard
 - Firewall IDS/IPS dashboard
 - Firewall Traffic dashboard

Create Dashboard(s)


Dashboard Template *
Firewall Overview Dashboard

Title *
firewall_overview_dashboard

Description

+ Add Another
✗ Cancel
✓ Submit

3. To adjust panel display, you can select the lock/unlock icon to adjust a widget display to fit your screen.



Firewall Overview Dashboard


The Firewall Overview Dashboard dynamically combines important metrics from all service features in distinct panels.

In full configuration, the following panels appear:


- **DLP Incidents Blocked and DLP Incidents Logged** - The number of blocked and logged DLP incidents for the selected date range

- **IDS/IPS Intrusion Detected and IDS/IPS Intrusions Dropped** - The number of detected and dropped IPS/IDS incidents for the selected date range.
- **Virus – Warning or Above and Virus – Notice** - The number of virus attacks of priority warning or higher for the selected date range and the number of virus attacks with priority notice.


If you have not configured Data Leak/Loss Protection (DLP) or AntiMalware (Virus), these will appear with a “0” value.




- **Allowed and Denied Traffic by Event Count**- A bar chart of the allowed and denied firewall traffic events for the selected date range.




- **Allowed and Denied Traffic by MB**- A bar chart of the allowed and denied firewall traffic by volume (MB) for the selected date range.



- **Blocked Web Filter Categories by Event Count** - A bar chart of the top 10 blocked web filter categories and count of the number of attempts to web sites that match the category for the selected date range.



- **Top 10 DLP Incidents by Action** - A pie chart showing the type of data detected or block for selected date range.



- **Top Virus Files/Domains** - A list of the most frequently detected virus files for the selected date range.

REQUEST URL	FILE NAME	COUNT
http://realfakeducks.net		313.0
http://mikebenjam.in		115.0
	FortiOS_6.0.4_Log_Reference.pdf	8267.0
http://www.freeupdate.windows10.com	windows10-backgrounds.png	575.0
http://www.weatherchannel.info.com	localweather-virginia004.png	1264.0


Items per page: 5 | 1 - 5 of 11

Firewall Application Control dashboard


The Application Control dashboard presents logged events for application-based activities.

The following panels appear:

- **Total Requests Blocked** - The number of requests blocked for the selected date range.
- **Total Requests Reset** - The number of requests where the firewall terminated the connection with a reset signal for the selected date range
- **Actions by Event Count** - A bar chart of requests by action (block/pass/reset) for the selected date range.



- **Request Applications by Event Count** - A bar chart of top 10 applications by the number of requests for the selected date range.



- **Blocked Applications by IP and Host** - Listing of the top blocked applications by IP and host (source and # requests).

Blocked Applications by IP and Host				
REQUEST APPLICATION	SOURCE ACCOUNT	SOURCE ADDRESS	DOMAIN	APPLICATION PRO
YouTube	cberry	208.201.8.36	youtube.com	http
Facebook	cberry	208.201.8.36	facebook.com	udp/137
Facebook	joe.berry	150.251.0.212	facebook.com	https
Gmail	cberry	208.201.8.36	gmail.com	dns
Facebook	cberry	208.201.8.36	facebook.com	icmp/8/0

Items per page: 5 | 1 - 5 of 149

- **Applications by IP and Host** - Listing of the top applications by IP and host (source and # requests).

Applications by IP and Host				
REQUEST APPLICATION	SOURCE ACCOUNT	SOURCE ADDRESS	DOMAIN	APPLICATION PRO
YouTube	gordonc	170.22.136.227	youtube.com	udp/137
Paypal	dave.lee	221.194.103.107	paypal.com	https
Yelp	joe.berry	150.251.0.212	yelp.com	dns
Twitter	dave.lee	221.194.103.107	twitter.com	dns
Mapquest	gordonc	170.22.136.227	mapquest.com	https

Items per page: 5 | 1 - 5 of 163

- **Log Summary Data** – List of logs by action.

Log Data Summary							
TIMESTAMP	DEVICE	FIREWALL INSTANCE	ACTION	APPLICATION PROTOCOL	PRIORITY	REQUEST APPLICATION	DOMAIN
2021-07-10 11:00:00.000	FG-demofw	LOZ0064	block	http	notice	Gmail	gmail.com
2021-07-10 11:00:00.000	FG-demofw	LOZ0064	block	tcp/54443	warning	Yelp	yelp.com
2021-07-10 11:00:00.000	FG-demofw	LOZ0064	pass	tcp/54443	notice	Facebook	facebook.com
2021-07-10 11:00:00.000	FG-demofw	LOZ0064	pass	https	warning	Paypal	paypal.com
2021-07-10 11:00:00.000	FG-demofw	LOZ0064	block	udp/137	notice	Mapquest	mapquest.com

Items per page: 5 | 1 - 5 of 7520


Firewall DLP dashboard

Data Leak/Loss Protection (DLP) monitors, prevents, and reports on attempts to send sensitive data outside a customer’s organization.


The DLP Dashboard presents a summary of the total number of incidents, requests by action, incidents by type and action, incidents by service, top senders, and top recipients. The following panels appear:

- **Total Blocked Incidents** - The total numbers of blocked DLP incidents.
- **Total Logged Incidents** – The total numbers of logged DLP incidents.


- **Top 10 Incidents by Type and Action** - A pie chart of incidents by type and status (log-only or blocked) for the selected date range.



- **Service Incidents by Event Count** - A bar chart showing incidents by service (http or https) for the selected date range.



- **Actions by Event Count** - A bar chart of incidents by action (blocked/logged) for the selected date range.



- **Senders by Event Count** - List of top senders of files by source address, source account (user with active-directory integration), event application protocol (http or https), and count.
- **Recipients by Event Count** - List of top recipients by destination address, request domain, event application protocol (http or https), and count.

Senders by Event Count			
SOURCE ADDRESS	SOURCE SENDER	SERVICE	COUNT
192.154.197.71	joe.berry	http	3701.0
192.190.83.248	gordonc	http	3270.0
128.78.32.31	brian.tuttie	http	3442.0
10.106.139.106	harveyc	http	3648.0
128.179.211.236	allisonp	http	4057.0

Recipients by Event Count			
DESTINATION ADDRESS	DOMAIN	SERVICE ↑	COUNT
209.8.140.176	google.com	http	597.0
60.109.142.65	weather.com	http	572.0
23.52.136.41	nike.com	http	686.0
60.65.47.229	youtube.com	http	541.0
23.135.207.232	nike.com	http	655.0

- **Log Data Summary** - List of log data by action.


Log Data Summary										
TIMESTAMP	DEVICE	FIREWALL INSTANCE	ACTION	DESTINATION ADDRESS	SERVICE	TYPE	PRIORITY	DOMAIN	SOURCE ADDRESS	SOURCE SENDER
2021-07-10 15:00:00.000	FG-demofw	LOZ0064	log-only	60.309.142.65	http	dip	notice	youtube.com	128.179.211.236	allisonp
2021-07-10 15:00:00.000	FG-demofw	LOZ0064	log-only	23.135.207.232	http	dip	notice	ebay.com	192.28.137.2	jenniferp
2021-07-10 15:00:00.000	FG-demofw	LOZ0064	log-only	23.26.127.134	http	dip	notice	nike.com	10.106.139.106	harveyc
2021-07-10 15:00:00.000	FG-demofw	LOZ0064	log-only	23.52.136.41	http	dip	notice	google.com	10.100.202.193	billyaustin
2021-07-10 15:00:00.000	FG-demofw	LOZ0064	log-only	60.36.190.226	http	dip	notice	google.com	10.232.175.200	cberry

Firewall IDS/IPS dashboard


IDS/IPS prevents vulnerability exploits by examining packet content as it passes through the firewall against known signatures to detect, report and block intrusive behavior directed by your firewall policy.

The IDS/IPS dashboard displays logged alerts for intrusion detection and prevention incidents. The following panels appear:


- **IDS/IPS Intrusion Detected and IDS/IPS Intrusions Dropped** - The number of detected and dropped IPS/IDS incidents for the selected date range.
- **Event Distribution** - A bar chart of alerts by status (detected/dropped) for the selected date range.



- **Source IPs by Event Count** - A bar chart of the top 20 IP pairs by number of incidents for the selected date range.



- **Alerts by Event Count** – A bar chart of the most common alerts for the selected date range.



- **Log Data Summary** - List of log data by action.


TIMESTAMP	ACTION	DEVICE	FIREWALL INSTANCE	PRIORITY	ALERT	SOURCE ADDRESS	COUNT
2021-07-10 15:00:00.000	dropped	GM99436	BBSW74450	critical	Netcore.Netis.Devices.Hardcoded	244.246.33.121	6.0
2021-07-10 15:00:00.000	dropped	GM99436	BBSW74450	critical	Netcore.Netis.Devices.Hardcoded	123.208.229.232	6.0
2021-07-10 15:00:00.000	detected	GM99436	BBSW74450	critical	Netcore.Netis.Devices.Hardcoded	22.184.47.154	6.0
2021-07-10 15:00:00.000	detected	GM99436	BBSW74450	critical	Netcore.Netis.Devices.Hardcoded	192.168.130.154	5.0
2021-07-10 15:00:00.000	detected	GM99436	BBSW74450	critical	Netcore.Netis.Devices.Hardcoded	86.65.42.7	5.0

Firewall Mobility dashboard


The mobility dashboard summarizes mobility client activity, focusing on logins as well as data volume and session durations. Mobility clients are identified by usernames (with active-directory integration) and geo location (based on remote IP lookup).

The following panels appear:


- **Top 10 Clients by MB**- A pie bar chart showing the top 10 clients by total number of authentication connections made by volume (MB) for the selected date range.
- **Top 10 Clients by Duration** - A pie bar chart showing the top 20 clients by total number of authentication connections made by duration for the selected date range.




- **Authentications by Event Count** - A bar chart with the top 10 clients by number of authentication connections made by success and failure for the selected date range.




- **Clients by Successful Authentication Event Count:** A bar chart of the top 10 clients by successful authentications for the selected date range.



- **Clients by Failed Authentication Count:** A bar chart of the top 10 clients by failed authentications for the selected date range.



- **Clients by Peak Sustained Throughput in MB:** A bar chart of the top clients by the sustained bi-directional throughput (the sum of the number of bytes sent from active clients) for both success and failures for the selected date range. Note that throughput is an approximate value based on 10+ minute volume updates.



- **Summary of Firewall Instances by Event Duration** – List event count with total duration by firewall instance.

FIREWALL INSTANCE	SOURCE ADDRESS	TOTAL DURATION (HOURS)	DISTINCT USERS	EVENT COUNT
ecs-mgmt	125.30.4.189	4.39837239555563E7	1	4277.0
ecs-mgmt	34.38.51.108	12.707222222222194	1	6473.0
ecs-mgmt	100.89.10.79	2520255.489999997	1	6081.0

Items per page: 5 | 1 - 3 of 3 | < > >>

- **Log Data Summary - List of log data by action.**


TIMESTAMP	CATEGORY RESULT	VPN TUNNEL	DEVICE	FIREWALL INSTANCE	EVENT SIGNATURE ID	SOURCE ADDRESS	USER	MB	DURATION
2021-07-10 15:00:00.000	Success	AFID8730_P1	ecs01-fw16_ltt1	ecs-mgmt	0101037120	100.89.10.79	n/a	NaN	
2021-07-10 15:00:00.000	Success	AFID1324_P3	ecs01-fw16_ltt1	ecs-mgmt	0101037120	34.38.51.108	n/a	NaN	
2021-07-10 15:00:00.000	Success	AFID8730_P1	ecs01-fw16_ltt1	ecs-mgmt	0101037120	125.30.4.189	n/a	NaN	
2021-07-10 15:00:00.000	None	AFID1740_P2	ecs01-fw16_ltt1	ecs-mgmt	0101037204	125.30.4.189	n/a	253.615794	123246.8822222222
2021-07-10 15:00:00.000	Success	AFID8730_P1	ecs01-fw16_ltt1	ecs-mgmt	0101037138	34.38.51.108	n/a	28.875091	0.0494444444444444

Firewall Site dashboard


The Firewall Site dashboard summarizes traffic from remote access site encrypted tunnels.

The following panels appear:

- **Top 10 Sites by Tunnel Events** - A bar chart with the top 10 sites by number of tunnel events (distinct connections) for selected date range.
- **Sites by Tunnel Event Count** - A pie chart with the top sites (up to 20 sites) by number of tunnel events (distinct connections) seen for the given IP address.




- **Top 10 Sites by Throughput in MB** - A bar chart with the top 10 sites by volume (in MB) for selected date range.
- **Sites by Throughput in MB** - A pie chart with the top sites (up to 20 sites) by volume (in MB) seen for the given IP address.




- **Active Sites by Event Count** - A bar chart with top sites by the sustained bi-directional throughput (the sum of the number of bytes sent from active sites) for the selected date range. Note that throughput is an approximate value based on 10+ minute volume updates.



- **Active Sites by Sustained Throughput in MB** - A bar chart with top sites by the sustained bi-directional throughput (the sum of the number of bytes sent from active sites) for the selected date range. Note that throughput is an approximate value based on 10+ minute volume updates.



- **Tunnel Up/Down Events** - A bar chart with top sites showing tunnel up and down events for the selected date range.



- **Log Data Summary** – List of log data by action.

TIME RANGE	DEVICE	FIREWALL INSTANCE	TUNNEL ACTION	SITE ADDRESS	LOG ID	VPN TUNNEL	THROUGHPUT NAME	COUNT
2021-07-10 15:00:00.000	ecs01-fw16_r11	ecs-mgmt	negotiate	50.36.145.28	0101037720	AF108730_P1		410
2021-07-10 15:00:00.000	ecs01-fw16_r11	ecs-mgmt	negotiate	16.138.22.93	0101037720	AF101324_P2		400
2021-07-10 15:00:00.000	ecs01-fw16_r11	ecs-mgmt	negotiate	40.24.53.7	0101037720	AF108730_P1		310
2021-07-10 15:00:00.000	ecs01-fw16_r11	ecs-mgmt	tunnel-stats	40.24.53.7	0101037704	AF101740_P2	253.8151794	8.0
2021-07-10 15:00:00.000	ecs01-fw16_r11	ecs-mgmt	tunnel-down	16.138.22.93	0101037738	AF108730_P1	0.001024	2.0

Showing page 1 of 1 (1 of 1000)

Firewall Traffic dashboard

The Firewall traffic dashboard summarizes traffic traversing users firewall via multiple graphics. Traffic data is shown by the number of logged events (traffic flows) and by volume (by MB).

The following panels appear:

- **TCP Events over Time** – A bar chart of the total firewall traffic events by action type (accept, close, deny, timeout) for the selected date range.




- **TCP Events over Time by MB** – A bar chart of the total firewall traffic events by action type (accept, close, deny, timeout) for the selected date range.




- **FW Policy Actions by Event Count** - A bar chart of the allowed and denied firewall traffic events for the selected date range.



- **Top 10 Application Events** – A pie chart of the number of connections by top 10 application categories by IP address.
- **Top 10 Users by Event Count (with active-directory integration)** – A pie chart of the top 10 IP source users for traffic events



- **Top 10 Source IPs by Event Count**– A pie chart of the top 10 IP Source users for traffic events.
- **Top Destination IPs by Event Count**– A pie chart of the top 10 Destination IPS for traffic events.



- **Log Data Summary** – List of log data by action.

Timestamp	Action	Device	FW Policy Action	Firewall Instance	Priority	SD-WAN Event Type	SD-WAN Device Action	Request Category	Destination Address	Source Address	User
2021-07-10 15:00:00.000	close	FG-demofw	Allow	LOZ0064	notice			unscanned	122.12.64.89	155.215.46.50	will
2021-07-10 15:00:00.000	close	FG-demofw	Allow	LOZ0064	notice			Web.Others	200.71.66.108	136.133.81.181	bond
2021-07-10 15:00:00.000	close	FG-demofw	Allow	LOZ0064	notice			email	122.12.64.89	155.215.46.50	james
2021-07-10 15:00:00.000	close	FG-demofw	Allow	LOZ0064	notice			unscanned	161.244.165.121	131.241.53.33	james
2021-07-10 15:00:00.000	accept	FG-demofw	Allow	LOZ0064	notice			GeneralInterest	133.188.66.51	83.81.82.83	smith


Firewall Webfilter dashboard

Web filtering classifies and blocks URLs and emails to help protect computers from infection. It controls the use of internet resources based on URL, content, and IP addresses blocking and inspecting downloaded content for malicious code before it reaches a user's device


The Firewall Webfilter dashboard presents logged events for URL and content-based web-traffic control.

The following panels appear:


- **Top 10 Blocked Sites** – A pie chart showing the top blocked web sites for selected date range.




- **Actions by Event Count** – A bar chart of the number of attempts to websites by action (passthrough, blocked) for selected date range.



- **Users with Blocked Requests by Event Count** - A bar chart of the top 10 users (with active-directory integration) by blocked requests for selected date range.



- **Site Categories by Event Count** – A bar chart of the top web site categories by blocked and passthrough attempts for selected date range.



- **Log Data Summary** – List of log data by action.

Timestamp	Firewall Instance	Action	Category	Device	Request Domain	User	Count
2021-07-10 15:00:00.000	DEMO001	passthrough		nds03-fw05_mid2	host.abc.com	john.doe	12.0
2021-07-10 15:00:00.000	LOZ0064	blocked	Instant Messaging	FG-demofw	notice-me-senpai.jp	ecartman	3.0
2021-07-10 15:00:00.000	LOZ0064	blocked	Gambling	FG-demofw	CSGOskins.com	bstinson	2.0
2021-07-10 15:00:00.000	LOZ0064	blocked	Child Abuse	FG-demofw	free-virus-scan.net	philton	1.0
2021-07-10 14:00:00.000	DEMO001	passthrough		nds03-fw05_mid2	host.abc.com	john.doe	19.0


Firewall Virus and malware (sandboxing) dashboard

The Firewall Virus and Malware dashboard presents logged events for managing files attempting to enter the customers network via HTTP, FTP, IMAP, POP3, SMTP, or NNTP protocols, including known viruses as well as new, yet to be classified threats.

The Virus and Malware (sandboxing) feature displays potential infections based on signatures and actions taken (analytics (sent to the sandbox for analysis), monitored, passthrough, blocked). This service operates in conjunction with the anti-malware feature. Anti-malware sandboxing scans and blocks malicious code found in the network traffic. Sandboxing places unknown anomalous payloads in a protected environment for execution. If the payload appears to be malicious, a signature is created to detect and mitigate future threats. Files can be blocked based on both file attachment type or filename suffix, as well as for matching known virus signature patterns.

The following panels appear:


- **Virus Attack Counts** - The number of virus attacks with a priority of warning or higher.
- **Virus Attacks** - A time chart showing virus attacks by status (blocked/analytics) over the selected date range.




- **Malware and Scanning Activity Table** - A table listing of virus attacks by virus name, virus status (blocked/analytics), source address, count for the selected date range.

RISK	MALWARE NAME	MALWARE STATUS	SOURCE ADDRESS	COUNT
75	Adware/Cimpli	blocked	221.2.44.75	401.0
50	HTML/Framer.NFtr	blocked	10.0.16.125	626.0
80	HTML/Framer.NFtr	blocked	10.0.16.125	115.0
50	JS/Cryxos.AAC4tr	blocked	10.50.30.53	1156.0
25	Malware_Generic.P0	blocked	198.50.201.12	1971.0


- **Malware and Scanning Activity by Event Count** - A bar chart of malware or scanning activity by malware risk for the selected date range.




- **Virus Files by Event Count** - A bar chart of the top 10 virus files for the selected date range.




- **Malware Infectious URLs by Event Count** - A bar chart of the top infected URLs (from which malware originated) for selected date range.




- **Virus Priority by Event Count** - A bar chart of the virus priority rating for selected date range.



- **Malware Targeted Hosts by Event Count**- A bar chart of the top malware hosts (from which malware originated) for selected date range.



- **Malicious/Suspicious Malware by Event Count** - A bar chart of the top malware files (based on the name Fortinet gives to the malware for selected date range.



- **Log Data Summary** – List of log data by action.

Log Data Summary										
TIMESTAMP	FIREWALL INSTANCE	DEVICE	MALWARE STATUS	RISK	REQUEST URL	EVENT TYPE	MALWARE NAME	SOURCE ADDRESS	FILE NAME	PRIORITY
2021-07-10 15:00:00.000	LOZ0064	FC-demofw	analytics			analytics		10.25.0.27	FortiOS_6.0.4_Log_Rel	notice
2021-07-10 14:00:00.000	LOZ0064	FC-demofw	analytics			analytics		10.25.0.27	FortiOS_6.0.4_Log_Rel	notice
2021-07-10 13:00:00.000	DEMO001	nds03-fw05_mid2	blocked	25	http://www.weatherch	infected	Malware_Generic.P0	198.50.20112	localweather-virginia004.png	notice
2021-07-10 13:00:00.000	LOZ0064	FC-demofw	analytics			analytics		10.25.0.27	FortiOS_6.0.4_Log_Rel	notice
2021-07-10 13:00:00.000	DEMO001	nds03-fw05_mid2	blocked	50	http://www.weatherch	infected	JS/Cryxos.AAC4ltr	10.50.30.53	msupdates.js	warning

Events


The Events menu item enable users the ability to view logs or create a flexible query filter.

To search and download events from a date range:

1. From the left menu, select **Events**.
2. Select the date range.
3. Select or change the defaults in the **Columns Selected** field.
4. Click the **Search** button.

A list of events appears.

5. Select **Download Results** to export to a .csv file.
6. Double click on an event to obtain more information on the event.



The screenshot displays the LUMEN Demo ANS Premium interface. The left sidebar contains a menu with 'Dashboard' (highlighted), 'Events', 'Reporting', and 'Security Posture'. The main content area is titled 'Search' and includes filters for 'Date Range' (last 30 days), 'Company Filter' (demoanspremium), and 'Columns Selected' (Destination Address, Destination Port, Event Message...). A search bar contains the text 'Event Search. Ex: INC1141* or INC1141689'. Below the search bar are 'Search' and 'Actions' buttons. A 'Download Results' button is highlighted in the search results area. The search results table is as follows:

Destination Address	Destination Port	Event Message	Event Name	Actions
63.143.167.70	53413	applications3: Wireshark.ENTTEC.DMX.Data.RLE.Bu	Netcore.Netis.Devices.Hai	
98.32.68.77	443		traffic forward message	
31.145.225.158	53413	backdoor: STUNSHELL.Web.Shell.Remote.Code	Netcore.Netis.Devices.Hai	
98.471.136	25	File submitted to Sandbox.	FortiGuard analytics subm	
60.36.190.226	80	data leak detected(Data Leak Prevention Rule matched)	DLP log (Notice)	
161.244.165.121	443		traffic forward message	

Reporting

You can create Reports two ways:

- **Dashboard** section: download to a firewall default report template associated to the Dashboard. User selects the “DOWNLOAD REPORT” button and select either .csv or pdf format.

-
- **Reporting** section: enabling a user to create and export a standard report from a firewall default report template or a custom report.

The default report templates include:

- **Firewall: Application Control Report**—provides details about the application protocols being used as reported by on FortiGate devices for the Firewall Services.
- **Firewall: DLP Report**—provides details about DLP detections including policies and files as reported on FortiGate devices for the Firewall Services.
- **Firewall: IDS/IPS Report**—provides details about intrusion detection and prevention events as reported on FortiGate devices for the Firewall Services.
- **Firewall: Mobility Report**—provides details about remote mobility access on FortiGate devices for the Firewall Services.
- **Firewall: Site Report**—provides details about remote site access on FortiGate devices for the Firewall Services.
- **Firewall: Traffic Report**—provides details about traffic and connection events as reported on FortiGate devices for the Firewall Services.
- **Firewall: Virus Report**—provides details about virus and malware events as reported on FortiGate devices for the Firewall Services.
- **Firewall: Webfilter Report**—provides details about web traffic and filtered web content as reported on FortiGate devices for the Firewall Services.

Mobility and Site Report Data field definitions

Column	Description
Event Receipt Time	Date/time when log data was recorded
Device Host	Virtual firewall instance identifier
Device Serial Number	Adaptive Network Security gateway location of firewall device
Device Action	Status of the session
Event Message	Log message
Custom String 6	Outcome of the log event action: success or failure
Event Severity	Estimated severity of the event that caused the log message See appendix A for definitions.
Custom String 2	XAuth username (active-directory integration) – If this is N/A this is a site
Custom String 3	XAuth group name (active-directory integration)
Custom String 1	IPsec VPN tunnel name
Source/Destination Address	IP address of traffic's origin or destination
Source/Destination Port	Port number of traffic's origin or destination
Source/Destination Location	City and country of source/destination IP (when available)
Source Translated Address	Translated IP address (when available)
Source Bytes	Bytes sent from firewall instance to remote site across the VPN tunnel
Destination Bytes	Bytes received at firewall instance from remote site across the VPN tunnel
Request Result	Result
Event Signature ID	10-digit log identifier, starting with 0101

Application Control Report Data field definitions

Column	Description
Event Receipt Time	Date/time when log data was recorded
Device Host	Virtual firewall instance identifier
Device Serial Number	Adaptive Network Security gateway location of firewall device
Custom String 1	Application control profile name
Request Category	Application category
Request Application	Application name
Request Domain	The host name of a URL
Source Account	Username (active-directory integration)
Source Group	Group name (active-directory integration)
Event Severity	Estimated severity of the event that caused the log message. See appendix A for definitions.
Device Action	Security action performed, including pass, block, reject, reset, monitor
Event Application Protocol	The name of the application-layer protocol used by the traffic (HTTP, HTTPS, DNS, TCP, UDP)
Source/Destination Address	IP address of traffic's origin or destination
Source/Destination Port	Port number of traffic's origin or destination
Source/Destination Location	City and country of source/destination IP (when available)
Event Name	Log message
Request URL	URL address

DLP Report Data field definitions

Column	Description
Event Receipt Time	Date/Time when log data was recorded
Device Host	Virtual firewall instance identifier
Device Serial Number	Adaptive Network Security gateway location of firewall device
Source Account	Username (active-directory integration)
Source Group	Group name (active-directory integration)
Device Action	Security action performed, including pass, block, reject, reset, monitor
Event Severity	Estimated severity of the event that caused the log message. See appendix A for definitions.
Source/Destination Address	IP address of traffic's origin or destination
Source/Destination Port	Port number of traffic's origin or destination
Source/Destination Location	City and country of source/destination IP (when available)
Device Action	Security action performed, including pass, block, reject, reset, monitor
Event Application Protocol	The name of the application-layer protocol used by the traffic (HTTP, HTTPS, DNS, TCP, UDP)
Source Email	Source email
Destination Email	Destination email
File Type	File type
File Name	File name
File Size	File size in bytes
Filter Type	DLP filter type (credit card, SSN)
Custom String 2	DLP filter category
Event Message	Log message
Request URL	URL address

IDS/IPS Report Data field definitions

Column	Description
Event Receipt Time	Date/time when log data was recorded
Device Serial Number	Adaptive Network Security gateway location of firewall device
Device Host	Virtual firewall instance identifier
Source Account	Username (active-directory integration)
Source Group	Group name (active-directory integration)
Custom String 6	Status based on security action performed (dropped, detected)
Event Severity	Estimated severity of the event that caused the log message. See appendix A for definitions.
Custom String 3	Severity of the attack (info, low, medium, high, critical)
Event Message	Log message
Request Domain	Host name of URL
Event Sub Type	Sub type for log message
Event Application Protocol	The name of the application-layer protocol used by the traffic (HTTP, HTTPS, DNS, TCP, UDP)
Source/Destination Address	IP address of traffic's origin or destination
Source/Destination Port	Port number of traffic's origin or destination
Source/Destination Location	City and country of source/destination IP (when available)
Custom String 7	References the known threat used to log the event

Traffic Report Data field definitions

The traffic data comes with many events, which should be considered when selecting longer time frames. It is best to keep report windows to under four hours. The report pages don't support sampling rates as this is the place where a user looks for the actual log data.

Column	Description
Event Receipt Time	Date/time when log data was recorded
Device Serial Number	Adaptive Network Security gateway location of firewall device
Device Host	Virtual firewall instance identifier
Source Account	Username (active-directory integration)
Source Group	Group name (active-directory integration)
Event Severity	Estimated severity of the event that caused the log message. See appendix A for definitions.
Custom String 6	The status of the session: deny, start, close (allowed), timeout (allowed)
Event Application Protocol	The name of the application-layer protocol used by the traffic (HTTP, HTTPS, DNS, TCP, UDP)
Request Application	Application name
Request Category	Application category
Source/Destination Address	IP address of traffic's origin or destination
Source/Destination Port	Port number of traffic's origin or destination
Source/Destination Location	City and country of source/destination IP (when available)
Source Bytes	Sent bytes in MB
Destination Bytes	Received bytes in MB
Event Bytes	Sum of sent and received bytes (in MB)
Event Session ID	The name of the server policy governing the traffic causing the log message

Virus Report Data field definitions

Column	Description
Event Receipt Time	Date/time when log data was recorded
Device Serial Number	Adaptive Network Security gateway location of firewall device
Device Host	Virtual firewall instance identifier
Source Account	Username (active-directory integration)
Source Group	Group name (active-directory integration)
Event Application Protocol	The name of the application-layer protocol used by the traffic (HTTP, HTTPS, DNS, TCP, UDP)
Request User Agent	User agent
Custom String 6	Status based on security action performed, including analytics, blocked, monitored, pass through
Event Severity	Estimated severity of the event that caused the log message. See appendix A for definitions.
Event Sub Type	Sub type of the log message
Event Message	Log message
Source/Destination Address	IP address of traffic's origin or destination
Source/Destination Port	Port number of traffic's origin or destination
Source/Destination Location	City and country of source/destination IP (when available)
Request URL	URL address
File Name	File name

Webfilter Report Data field definitions

Column	Description
Event Receipt Time	Date/time when log data was recorded
Device Serial Number	Adaptive Network Security gateway location of firewall device
Device Host	Virtual firewall instance identifier
Source Account	Username (active-directory integration)
Source Group	Group name (active-directory integration)
Event Severity	Estimated severity of the event that caused the log message. See appendix A for definitions.
Device Action	Security action performed, including pass, block, reject, reset, monitor
Custom String 6	Status based on security action performed (passthrough, blocked)
Event Sub Type	Sub type of the log message (webfilter type)
Request Category Description	Web category description
Event Application Protocol	The name of the application-layer protocol used by the traffic (HTTP, HTTPS, DNS, TCP, UDP)
Event Direction	Outgoing to the internet.
Source/Destination Address	IP address of traffic's origin or destination
Source/Destination Port	Port number of traffic's origin or destination
Source/Destination Location	City and country of source/destination IP (when available)
Request Domain	Host name of URL
Request URL	URL address
Source Bytes	Sent bytes
Destination Bytes	Received bytes

Appendix A: Event Severity definitions

The following table describes the event severity, which is the estimated severity causing a log event.

Name	Description
Alert	Immediate action required.
Critical	Functionality is affected.
Emergency	The system is unusable or not responding.
Error	An error exists and functionality could be affected
Information	General information about system operations.
Notification	Information about normal events
Warning	Functionality could be affected.